

MES COLLEGE OF ENGINEERING, KUTTIPPURAM
PROJECT DEPARTMENT
QUOTATION SCHEDULE

Name of Work: Supply of Sanitary Fixtures and CP Fittings for Ongoing Washroom Renovation Works and CSE Third Floor Extension Works

Approved Brands

- **Sanitary Ware:** Hindware / CERA / Parryware / Jaquar/Essco / Equivalent Approved Brand
- **CP Fittings & Accessories:** Jaquar / CERA / Hindware / Ess Ess / Equivalent Approved Brand

Sl. No.	Description	Specification	Qty	Unit
1	European Water Closet (EWC)	Floor-mounted white vitreous china EWC complete with dual flush concealed/low-level cistern (3/6 L), soft-close seat cover, fixing accessories and connector	97	Nos
2	Wash Basin	White vitreous china wash basin (550–600 mm) complete with pedestal or wall-hung brackets and fixing accessories	76	Nos
3	Health Faucet	Chrome-plated brass health faucet with trigger spray, 1.2 m SS braided flexible hose and wall hook	150	Nos
4	Pillar Cock	15 mm chrome-plated brass pillar cock with quarter-turn ceramic cartridge	75	Nos
5	Angle Valve	15 mm chrome-plated brass angle valve with flange	322	Nos
6	Bib Cock	15 mm chrome-plated brass bib cock with flange	99	Nos
7	Urinal Bowl	White vitreous china flat-back wall-hung urinal complete with fixing accessories	51	Nos
8	Flush Valve	Heavy-duty exposed chrome-plated brass flush valve suitable for urinal, complete with fittings	51	Nos

9	Floor Trap	100 mm × 100 mm floor trap with SS-304 grating, suitable for 110 mm outlet	172	Nos
1	Shower	Chrome-plated overhead shower (100–125 mm) with 15 mm shower arm	3	Nos
1	CP Towel Ring	Chrome-plated brass towel ring with concealed fixing	6	Nos
1	Soap Dish	Wall-mounted chrome-plated brass soap dish with frosted glass dish	8	Nos
1	Nylon Flexible Connector	Nylon braided flexible connector, 450 mm length, ½" BSP female × female	174	Nos

General Technical Requirements

1. All sanitary ware shall be manufactured from **first-quality vitreous china** with a smooth, glazed white finish.
2. All CP fittings shall be **chrome-plated brass** conforming to relevant **IS/BIS standards**.
3. All fittings shall be supplied complete with fixing accessories, washers, nuts, screws, and connectors wherever applicable.
4. Floor traps shall be supplied with **SS-304 grating** and water seal.
5. Flush valves shall be heavy-duty commercial-grade suitable for institutional use.
6. The quoted items shall be free from manufacturing defects and covered by the manufacturer's warranty.
7. The supplier shall clearly mention the **brand, model number, and catalogue reference** for each quoted item.
8. Equivalent brands, if quoted, shall meet or exceed the above specifications and are subject to approval by the Project Department.
9. The quoted rates shall be **inclusive of transportation, loading, unloading, packing, and delivery** at MES College of Engineering, Kuttippuram.
10. **GST shall be shown separately.**

This specification is appropriate for institutional procurement and provides sufficient technical detail for obtaining comparable quotations from different suppliers.

Last Date for Submission: 13-07-2026

Quotations shall be addressed to:

The Secretary

MES College of Engineering

Kuttippuram, Malappuram – 679573

E-mail: secretary@mesce.ac.in